

# *CarboFix MTP Fusion Plate*

- *Radiolucent*
- *Optimal Modulus of Elasticity*
- *Unparalleled fatigue Strength*
- *Poly-Axial screw insertion*
- *Thread-less screw holes, thus the screw creates its own thread*
- *No Cold-Welding*
- *Common Sizes & Surgical Technique*



# Plates Portfolio


Side	Cat.	Thickness (mm)	Width (Max) (mm)	Length (mm)	Valgus Angle (°)	Dorsiflexion Angle (°)
Left	MTPL500505	2.0	15	50	5	5
Right	MTPR500505	2.0	15	50	5	5




# Screws Portfolio

Screw Type	Cat.	Diameter (mm)	Lengths (mm)	Screw Color	Drill Bit Dia. (mm)	
<i>Locking</i>	<i>PLCST27xxx</i>	<i>2.7</i>	<i>12-28</i>	<i>Purple</i>	<i>2.0</i>	
<i>Non-Locking</i>	<i>PNLST27xxx</i>	<i>2.7</i>	<i>12-28</i>	<i>Blue</i>	<i>2.0</i>	
<i>Lag Screw</i>	<i>MTPS35xxx</i>	<i>3.5</i>	<i>20-38</i>	<i>Blue</i>	<i>2.7</i>	<i>Cannulated</i>

*∅ 2.7 Locking Screw*



*∅ 2.7 Non-Locking Screw*



*∅ 3.5 Cannulated Lag Screw*

